




>>Entry Name: Acenaphthylene, 9Cl, 8Cl

Synonym(s): Cyclopenta[de]naphthalene



CAS Registry Number: 208-96-8

Molecular Formula: C₁₂H₈

Molecular Weight: 152.195

Accurate Mass: 152.0626

Percentage Composition: C 94.70%; H 5.30%

Source/Synthesis: Occurs in cigarette smoke and shale oil

Use/Importance: Homopolymers and copolymers with other vinyl monomers are formed by anionic, cationic and free-radical polym.

Physical Description: Yellow plates (EtOH)

Melting Point: Mp 92-93°

Boiling Point: Bp 265-275° part. dec.. Bp₂₈ 156-160°

Solubility: Insol. H₂O; v. sol. EtOH, Et₂O, C₆H₆

Other Data: Q/e values for copolym., Q 0.72, e -1.88

Hazard & Toxicity: Fl. p. >66°. LD₅₀ (rat, ipr) 1700 mg/kg. Mutagenic props.

Aldrich: A80-5

Fluka: 58

Rare Chemicals Library: S94479-3

Sigma: A6456

Supelco: 4-8566

>>Derivative: Picrate

CAS Registry Number: 56368-63-9

Physical Description: Yellow needles (EtOH)

Melting Point: Mp 201-202°

References:

- Aldrich Library of FT-IR Spectra, 1st edn.*, 1985, **1**, 961A, (*ir*)
Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **2**, 48B, (*nmr*)
Aldrich Library of FT-IR Spectra: Vapor Phase, 1989, **3**, 883D, (*ir*)
Dziewonski, K. *et al.*, *Ber.*, 1912, **45**, 2491, (*synth*)
Bestmann, H.J. *et al.*, *Annalen*, 1968, **718**, 33, (*synth*)
Bestmann, H. *et al.*, *Chem. Ber.*, 1969, **102**, 2259, (*synth*)
Seibold, K. *et al.*, *Helv. Chim. Acta*, 1970, **53**, 805, (*uv*)
Jones, A.J. *et al.*, *J.A.C.S.*, 1970, **92**, 2386, (*cmr*)
Bree, A. *et al.*, *Can. J. Chem.*, 1973, **51**, 402, (*cryst struct*)
Ozubko, R.S. *et al.*, *Can. J. Chem.*, 1974, **52**, 2493, (*cmr*)
Chen, C.-Y. *et al.*, *J. Polym. Sci., Polym. Symp.*, 1975, **65**, 55, (*emulsion polym*)
Ballasteros, J. *et al.*, *J. Macromol. Sci., Chem., Part A*, 1977, **11**, 29, (*copolymers, reactivity*)
Greenley, R.Z., *J. Macromol. Sci., Chem., Part A*, 1980, **14**, 427, (*Q/e values*)
Qiu, Z.W. *et al.*, *J.A.C.S.*, 1982, **104**, 2747, (*cmr*)
Holdcroft, G.E. *et al.*, *Makromol. Chem.*, 1984, **185**, 27, (*cationic polym*)
Lindsell, W.E. *et al.*, *Polym. Commun.*, 1984, **25**, 108, (*anionic polym*)
Hodge, P. *et al.*, *Polymer*, 1985, **26**, 1701, (*radical polym*)
Bräuniger, T. *et al.*, *J.C.S. Perkin 2*, 1997, 1255-1260, (*H-2 nmr*)
Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn.*, Van Nostrand Reinhold, 1992, AAF500