




>>Entry Name: Aceglutamide, INN, JAN

Synonym(s): N^2 -Acetylglutamine, 9CI. 2-(Acetylamino)glutaramidic acid. Acutil/S



Molecular Formula: $C_7H_{12}N_2O_4$

Molecular Weight: 188.183

Accurate Mass: 188.079708

Percentage Composition: C 44.68%; H 6.43%; N 14.89%; O 34.01%

General Statement: Strictly, the name Aceglutamide applies to the (S)-form

Use/Importance: Psychostimulant; used to improve memory and concentration

Calculated Log P Data: Log P -2.55 (calc)

>>Variant: (S)-form

CAS Registry Number: 2490-97-3

Molecular Formula: $C_7H_{12}N_2O_4$

Molecular Weight: 188.183

Accurate Mass: 188.079708

Percentage Composition: C 44.68%; H 6.43%; N 14.89%; O 34.01%

Physical Description: Cryst. (EtOH)

Melting Point: Mp 197°

Optical Rotation: $[\alpha]_D^{20} -12.5$ (c, 2.9 in H_2O)

Other Data: Component of Acinetil Bebibile, Centrum, Fosfoglutit, Levaliver, Memovisus, Neurocordin, Sustenium, Teovit, Tonogen, Tonoplus

Fluka: 1150

Sigma: A9125

>>Derivative: Al(III) complex

Synonym(s): Aceglutamide aluminum, JAN, USAN. Pentakis(N^2 -acetyl-L-glutaminato)tetrahydroxytrialuminium. KW 110. Glumal. AGA

CAS Registry Number: 12607-92-0

Molecular Formula: $C_{35}H_{59}Al_3N_{10}O_{24}$

Molecular Weight: 1084.848

Accurate Mass: 1084.314992

Percentage Composition: C 38.75%; H 5.48%; Al 7.46%; N 12.91%; O 35.40%

Use/Importance: Antiulcerative and gastric cytoprotective agent

Physical Description: White powder

Melting Point: Mp 221 dec.°

References:

U.K. Pat., 1958, Merck, 792 576; CA, **53**, 2109a, (synth, props)

Maschler, I.J. *et al.*, *Biochim. Biophys. Acta*, 1962, **57**, 252, (synth)

Narasimhamurthy, M.R. *et al.*, *J.C.S. Perkin 2*, 1976, **6**, 768, (cryst struct)

Alhadeff, M. *et al.*, *Drugs of Today (Barcelona)*, 1978, **14**, 53, (rev, pharmacol)

Tome, D. *et al.*, *Int. J. Pept. Protein Res.*, 1985, **25**, 258, (synth, cmr)

Tanaka, H., *Arzneim.-Forsch.*, 1986, **36**, 1485, (pharmacol)

Martindale, *The Extra Pharmacopoeia*, 30th edn., Pharmaceutical Press, 1993, 868; 1329

Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials*, 8th edn., Van Nostrand Reinhold, 1992, AGX125