




>>Entry Name: Amaranth

Synonym(s): 3-Hydroxy-4-[(4-sulfo-1-naphthalenyl)azo]-2,7-naphthalenedisulfonic acid, 9Cl. C.I. Acid red 27, 8Cl. Amaranth R. Amaranth S. Azorubine S. Bordeaux S. C.I. 16185. C.I. Food Red 9. FD and C Red No. 2. E 123



CAS Registry Number: 642-59-1

Extra CAS Registry Numbers(s): 915-67-3

Molecular Formula: C₂₀H₁₄N₂O₁₀S₃

Molecular Weight: 538.536

Accurate Mass: 537.981058

Percentage Composition: C 44.61%; H 2.62%; N 5.20%; O 29.71%; S 17.86%

Use/Importance: Used in dyeing, colour photography and food colouring. Used as its complex with Th in indirect photometric detn. of F⁽⁻⁾ and S²⁽⁻⁾

Physical Description: Dark red-brown powder (as tri-Na salt)

Solubility: Sol. H₂O, EtOH, 2-ethoxyethanol

Other Data: Banned by FDA for use in food, drugs and cosmetics. Permitted in the UK and some other countries

Hazard & Toxicity: Exp. weak reprod. and teratogenic effects (conflicting data)

References:

- Aldrich Library of FT-IR Spectra*, 1st edn., 1985, **2**, 988B, (ir)
Knecht, O., *J. Soc. Dyers Colour.*, 1886, **2**, 24, (synth)
Lambert, J.L., *Anal. Chem.*, 1954, **26**, 558-560; 1955, **27**, 800-801, (detn, F,S)
Nursten, H.E. et al., *J. Soc. Dyers Colour.*, 1973, **89**, 49-53, (synth)
Marmion, D.M., *J. Assoc. Off. Anal. Chem.*, 1974, **57**, 495-507, (synth)
IARC Monog., 1975, **8**, 41; Suppl. 7, 56, (rev, tox)
Fogg, A.G. et al., *Analyst (London)*, 1979, **104**, 723-729, (anal)
Clode, S.A. et al., *Food Chem. Toxicol.*, 1987, **25**, 937-946, (tox)
Martindale, The Extra Pharmacopoeia, 30th edn., Pharmaceutical Press, 1993, 698
Merck Index, 12th edn., 1996, No. 391
Yamada, M. et al., *Chem. Pharm. Bull.*, 1998, **46**, 494-499, (hplc, pmr, cmr)
Sigma-Aldrich Library of Stains, Dyes and Indicators, 92
Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials*, 8th edn., Van Nostrand Reinhold, 1992, FAG020