



>>Derivative: γ -Mono-Me ester

CAS Registry Number: 65146-87-4

Molecular Formula: $C_7H_8O_6$

Molecular Weight: 188.137

Accurate Mass: 188.03209

Percentage Composition: C 44.69%; H 4.29%; O 51.02%

Physical Description: Prisms (Me_2CO/C_6H_6)

Melting Point: Mp 126-127°

>>Derivative: Anhydride

CAS Registry Number: 31511-11-2

Extra CAS Registry Numbers(s): 6318-55-4

Molecular Formula: $C_6H_4O_5$

Molecular Weight: 156.095

Accurate Mass: 156.005875

Percentage Composition: C 46.17%; H 2.58%; O 51.25%

Melting Point: Mp 74°

References:

- Aldrich Library of FT-IR Spectra, 1st edn.*, 1985, **1**, 505D, (*ir*)
Aldrich Library of ^{13}C and 1H FT NMR Spectra, 1992, **1**, 789B; 789C, (*nmr*)
Malachowski, R. *et al.*, *Ber.*, 1928, **61**, 2521, (*synth, props*)
Org. Synth., Coll. Vol., 2, 1943, 12, (*synth*)
Miller, R.E. *et al.*, *Adv. Carbohydr. Chem.*, 1951, **6**, 231, (*rev*)
Orr, R.J. *et al.*, *J. Polym. Sci.*, 1958, **32**, 89, (*copolym*)
Krogh, A., *Acta Chem. Scand.*, 1969, **23**, 2932, (*isol*)
Bartos, J. *et al.*, *Pure Appl. Chem.*, 1984, **56**, 467, (*use*)
Nagel, N. *et al.*, *Acta Cryst. C*, 1996, **52**, 2912-2915, (*cryst struct, Z-form*)
Encyclopedia of Food and Color Additives, (ed. Burdock, G.A.), CRC Press, 1997, 38, (*occur, use*)
Patty's Ind. Hyg. Toxicol. (3rd Rev. edn.), Vol. 2, Wiley, 1980, 4974
Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn.*, Van Nostrand Reinhold, 1992, ADH000