




>>Entry Name: 2,5-Dimethylcyclohexanol, 9CI



CAS Registry Number: 3809-32-3

Molecular Formula: C₈H₁₆O

Molecular Weight: 128.214

Accurate Mass: 128.120115

Percentage Composition: C 74.94%; H 12.58%; O 12.48%

Other Data: At least two stereoisomers have been fully characterised, others have been identified by nmr

Rare Chemicals Library: S42990-2

>>Variant: (1R,2R,5R)-form

Synonym(s): (1 α ,2 β ,5 α)-form. ($\pm$)-*trans*,*cis*-form

CAS Registry Number: 7059-52-1

Molecular Formula: C₈H₁₆O

Molecular Weight: 128.214

Accurate Mass: 128.120115

Percentage Composition: C 74.94%; H 12.58%; O 12.48%

Boiling Point: Bp 179°

>>Derivative: Phenylurethane

Melting Point: Mp 117°

>>Derivative: 1-Naphthylurethane

Melting Point: Mp 172-173.5°

>>Variant: (1R,2SR,5SR)-form

Synonym(s): (1 α ,2 α ,5 β)-form. ($\pm$)-*cis*,*trans*-form

CAS Registry Number: 3127-82-0

Molecular Formula: C₈H₁₆O

Molecular Weight: 128.214

Accurate Mass: 128.120115

Percentage Composition: C 74.94%; H 12.58%; O 12.48%

Boiling Point: Bp 180°. Bp₁₄ 74°

>>Derivative: Phenylurethane

Melting Point: Mp 113°

References:

Skita, A., *Ber.*, 1922, **55**, 142; 1923, **56**, 2234, (*synth*)

Godchot, M. *et al.*, *Bull. Soc. Chim. Fr.*, 1925, **37**, 1646, (*synth*)

Ungnade, H.E. *et al.*, *J.A.C.S.*, 1944, **66**, 118, (*synth*)

Pehk, T. *et al.*, *Org. Magn. Reson.*, 1976, **8**, 5, (*cmr*)