




>>Entry Name: 1,4-Dimethylcyclohexane, 9CI

Synonym(s): Hexahydro-*p*-xylene



CAS Registry Number: 589-90-2

Extra CAS Registry Numbers(s): 27195-67-1

Molecular Formula: C₈H₁₆

Molecular Weight: 112.214

Accurate Mass: 112.1252

Percentage Composition: C 85.63%; H 14.37%

Aldrich: 11050-7

>>Variant: (1*R*,4*R*)-form

Synonym(s): *trans*-form

CAS Registry Number: 2207-04-7

Molecular Formula: C₈H₁₆

Molecular Weight: 112.214

Accurate Mass: 112.1252

Percentage Composition: C 85.63%; H 14.37%

Melting Point: Fp -37°

Boiling Point: Bp 119-120°

Refractive Index: n_D²² 1.4210

Hazard & Toxicity: Highly flammable, fl. p. 11/16°, autoignition temp. 304°

Fluka: 40000

Rare Chemicals Library: S44609-2

>>Variant: (1*R*,4*S*)-form

Synonym(s): *cis*-form

CAS Registry Number: 624-29-3

Molecular Formula: C₈H₁₆

Molecular Weight: 112.214

Accurate Mass: 112.1252

Percentage Composition: C 85.63%; H 14.37%

Melting Point: Fp -87°

Boiling Point: Bp 124-125°

Refractive Index: n_D¹⁸ 1.4291

Hazard & Toxicity: Highly flammable, fl. p. 10/16°

Aldrich: 11051-5

Fluka: 39990

Rare Chemicals Library: S41917-6

References:

Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **1**, 52C; 53A, (*nmr*)

Aldrich Library of FT-IR Spectra, 1st edn., 1985, **1**, 37C, (*ir*)

Aldrich Library of FT-IR Spectra: Vapor Phase, 1989, **3**, 54D; 55A, (*ir*)

v. Auwers, K., *Annalen*, 1920, **420**, 98, (*synth*)

Adv. Chem. Ser., 1955, **15**, 449; 450, (*props*)

Van Bekkum, H., *Rec. Trav. Chim. (J. R. Neth. Chem. Soc.)*, 1961, **80**, 588, (*synth*)

Jancke, H. *et al.*, *J. Prakt. Chem.*, 1980, **322**, 247, (*cmr*)

Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn.*, Van Nostrand Reinhold, 1992, DRG200