



Percentage Composition: C 72.24%; H 10.91%; N 16.85%

Physical Description: Cryst.

Melting Point: Mp 15-16°

Boiling Point: Bp 105-106°

Hazard & Toxicity: Highly flammable, fl. p. 21°

Aldrich: T7200-1

Fluka: 80930

>>**Derivative:** Anhydride

Synonym(s): Pivalic anhydride

CAS Registry Number: 1538-75-6

Type of Compound Code(s): PS7600 PG5475

Molecular Formula: C₁₀H₁₈O₃

Molecular Weight: 186.25

Accurate Mass: 186.125595

Percentage Composition: C 64.49%; H 9.74%; O 25.77%

Use/Importance: Derivatisation reagent used in gc anal. of thyroid hormones

Boiling Point: Bp₉₃ 124°. Bp₁₂ 78°

Refractive Index: n_D²⁰ 1.4089

Aldrich: 14350-2

Fluka: 80903

Sigma: T1389

>>**Derivative:** Mixed anhydride with formic acid

CAS Registry Number: 10535-67-8

Molecular Formula: C₆H₁₀O₃

Molecular Weight: 130.143

Accurate Mass: 130.062995

Percentage Composition: C 55.37%; H 7.74%; O 36.88%

Use/Importance: N-Formylating reagent

Physical Description: Liq.

References:

- Aldrich Library of FT-IR Spectra, 1st edn.*, 1985, **1**, 487D; 606A; 606B; 713A; 727B; 748B; 839A, (*ir*)
- Aldrich Library of 13C and 1H FT NMR Spectra*, 1992, **1**, 917A; 917B; 917C; 1167B; 1189B; 1220A; 1353B, (*nmr*)
- Aldrich Library of FT-IR Spectra: Vapor Phase*, 1989, **3**, 578A; 620B; 620C; 620D; 761D; 769D; 796C, (*ir*)
- Org. Synth.*, 1928, **8**, 104; 108, (*synth*)
- Hardy, D.V.N., *J.C.S.*, 1936, 364, (*synth*)
- Adelman, R.L. *et al.*, *J.O.C.*, 1949, **14**, 1057-1077, (*vinyl ester*)
- Ansell, M.F. *et al.*, *J.C.S.*, 1955, 2705, (*synth, anhydride*)
- Lohaus, G., *Chem. Ber.*, 1967, **100**, 2719, (*deriv*)
- Jaakonmaeki, P.I. *et al.*, *J. Gas Chromatogr.*, 1967, **5**, 303, (*use, anhydride*)
- Stouffer, J.E. *et al.*, *J. Chromatogr. Sci.*, 1969, **7**, 124, (*use, anhydride*)
- Volpert, E.M. *et al.*, *J. Chromatogr.*, 1970, **50**, 507, (*use, anhydride*)
- Prota, G. *et al.*, *Biochimie*, 1971, **53**, 51, (*use, chloride*)
- Cavadore, J.C. *et al.*, *Anal. Biochem.*, 1974, **60**, 608, (*use, chloride*)
- Johnstone, R.A.W. *et al.*, *Tetrahedron*, 1979, **35**, 2169, (*N-Methylpivalamide*)
- Fieser and Fieser's Reagents for Organic Synthesis*, Wiley, 1980, **8**, 404
- Vlietstra, E.J. *et al.*, *Rec. Trav. Chim. (J. R. Neth. Chem. Soc.)*, 1982, **101**, 460, (*mixed anhydride, synth, pmr, use*)
- Screttas, C.G. *et al.*, *J.O.C.*, 1989, **54**, 1013, (*synth*)
- Knochel, P. *et al.*, *J.O.C.*, 1993, **58**, 588-599, (*iodomethyl ester*)
- Mulhern, T.A. *et al.*, *J.O.C.*, 1993, **58**, 5537, (*anilide*)
- Behforouz, M. *et al.*, *J.O.C.*, 1996, **61**, 6552, (*mixed anhydride*)
- Sato, K. *et al.*, *Bull. Chem. Soc. Jpn.*, 1999, **72**, 2287-2306, (*synth, pmr, cmr*)
- Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn.*, Van Nostrand Reinhold, 1992, DTS400; PJA500; PJA750