




>>Entry Name: **Dimetotiazine**, INN

Synonym(s): 10-[2-(Dimethylamino)propyl]-*N,N*-dimethyl-10*H*-phenothiazine-2-sulfonamide, 9Cl. **Dimethothiazine**, BAN. Fonazine. Many other names



CAS Registry Number: 7456-24-8

Type of Compound Code(s): XA4635

Molecular Formula: C₁₉H₂₅N₃O₂S₂

Molecular Weight: 391.557

Accurate Mass: 391.138817

Percentage Composition: C 58.28%; H 6.44%; N 10.73%; O 8.17%; S 16.38%

Use/Importance: Drug used for treatment of migraine. Antihistamine and 5-hydroxytryptamine inhibitor

Calculated Log P Data: Log P 4.32 (calc)

Hazard & Toxicity: LD₅₀ (mus, orl) 740 mg/kg. Exp. reprod. effects

>>Variant: (±)-form

Molecular Formula: C₁₉H₂₅N₃O₂S₂

Molecular Weight: 391.557

Accurate Mass: 391.138817

Percentage Composition: C 58.28%; H 6.44%; N 10.73%; O 8.17%; S 16.38%

Melting Point: Mp 44-48°

>>Derivative: Hydrochloride

CAS Registry Number: 34396-64-0

Melting Point: Mp 214 dec.°

>>Derivative: Methanesulfonate

Synonym(s): **Fonazine mesylate**, USAN. Dimetotiazine mesilate, JAN

CAS Registry Number: 7455-39-2

Melting Point: Mp 178-182°

Solubility: Sol. H₂O, EtOH, spar. sol. CHCl₃, insol. Et₂O

References:

U.K. Pat., 1959, 814 512; CA, **53**, 22025d, (synth)

Kiger, J.L. et al., Ann. Pharm. Fr., 1965, **23**, 489, (anal)

Julou, L. et al., Arch. Int. Pharmacodyn. Ther., 1966, **159**, 70; 1968, **171**, 449, (pharmacol, metab)

De Leenheer, A., J. Assoc. Off. Anal. Chem., 1973, **56**, 105, (uv)

Barbe, J. et al., C. R. Hebd. Seances Acad. Sci. Ser. C, 1976, **282**, 299, (pmr, conformn)

Negwer, M., Organic-Chemical Drugs and their Synonyms, 6th edn., Akademie-Verlag, 1987, 5404, (synonyms)

Martindale, The Extra Pharmacopoeia, 30th edn., Pharmaceutical Press, 1993, 937

Lewis, R.J., Sax's Dangerous Properties of Industrial Materials, 8th edn., Van Nostrand Reinhold, 1992, DUC400