



Use/Importance: Coccidiostat for poultry
Physical Description: Leaflets
Melting Point: Mp 183°
Calculated Log P Data: Log P 0.61 (calc)
Hazard & Toxicity: LD₅₀ (trk, orl) 1150 mg/kg

Aldrich: D19380-1
Sigma: D9140

>>**Derivative:** Nitrile
Synonym(s): 1-Cyano-3,5-dinitrobenzene

CAS Registry Number: 4110-35-4
Molecular Formula: C₇H₃N₃O₄
Molecular Weight: 193.118
Accurate Mass: 193.012357
Percentage Composition: C 43.54%; H 1.57%; N 21.76%; O 33.14%
Physical Description: Cryst. (diisopropyl ether)
Melting Point: Mp 130-131°
Hazard & Toxicity: LD₅₀ (mus, ipr) 300 mg/kg

Aldrich: D19500-6

>>**Derivative:** Anhydride

CAS Registry Number: 40993-10-0
Type of Compound Code(s): PG5100 PG5750
Molecular Formula: C₁₄H₆N₄O₁₁
Molecular Weight: 406.222
Accurate Mass: 406.003311
Percentage Composition: C 41.39%; H 1.49%; N 13.79%; O 43.32%
Use/Importance: Reagent for the identification of ethers, alcohols and phenols
Melting Point: Mp 109°

References:

Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **2**, 1138C; 1270C; 1350C; 1400C; 1538A, (nmr)
Aldrich Library of FT-IR Spectra, 1st edn., 1985, **2**, 227D; 351A; 374B; 459D, (ir)
Phillips, M. *et al.*, *J.A.C.S.*, 1931, **53**, 1924, (use)
Org. Synth., Coll. Vol., 3, 1955, 337
Bachman, G.B. *et al.*, *J.A.C.S.*, 1958, **80**, 5871, (synth)
Belg. Pat., 1962, Olin Mathieson, 612 706; *CA*, **58**, 2786g, (use, amide)
Finan, P.A. *et al.*, *J.C.S.*, 1962, 2824, (synth, amide)
Dippy, J.F.S. *et al.*, *J.C.S.*, 1964, 154, (synth)
Fieser and Fieser's Reagents for Organic Synthesis, Wiley, 1967, **1**, 320
Mai, K. *et al.*, *Tet. Lett.*, 1986, **27**, 2203, (nitrile)
Parks, O.W., *J. Assoc. Off. Anal. Chem.*, 1989, **72**, 567, (Nitromide, hplc)
Prince, P. *et al.*, *Acta Cryst. C*, 1991, **47**, 895, (cryst struct)
Blass, K.G., *Clin. Biochem.*, 1995, **28**, 107, (use)
Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 9th edn.*, Van Nostrand Reinhold, 1996, DUR600; DUR850