



>>Entry Name: Gadolinium hydrides

Related CAS Registry Numbers(s): 85323-71-3

Molecular Formula: [GdH]

>>Variant: Gadolinium hydride (GdH₂)

CAS Registry Number: 13823-35-3

Molecular Formula: GdH₂

Molecular Weight: 159.266

Accurate Mass: 159.939749

Percentage Composition: Gd 98.73%; H 1.27%

General Statement: Possesses fluorite struct. Existence range GdH_{1.8-2.3}

Use/Importance: Catalyses propene hydrogenation and ortho-para conversion of H₂

Physical Description: Metallic grey solid

Other Data: $\Delta H_f -196.4 \text{ kJ mol}^{-1}$; $\Delta G_f -157.0 \text{ kJ mol}^{-1}$. $\mu_{\text{eff}} = 7.83\mu_B$

>>Variant: Gadolinium hydride (GdH₃)

CAS Registry Number: 13572-97-9

Molecular Formula: GdH₃

Molecular Weight: 160.274

Accurate Mass: 160.947574

Percentage Composition: Gd 98.11%; H 1.89%

General Statement: Isostructural with LaF₃. Existence range GdH_{2.85-3}

Physical Description: Metallic grey solid

Other Data: $\mu_{\text{eff}} = 7.3\mu_B$. $T_N = 332\text{K}$. Esr in matrices at 4K suggests planar molecule

References:

- Trombe, F., *C. R. Hebd. Seances Acad. Sci.*, 1944, **219**, 182, (*magnetism, GdH₂*)
Sturdy, G.E. *et al.*, *J.A.C.S.*, 1956, **78**, 1083, (*synth, struct, GdH₂, GdH₃*)
Wallace, W.E., *Ber. Bunsen-Ges. Phys. Chem.*, 1972, **76**, 832, (*magnetism, GdH₃*)
Gaifutdinova, R.K. *et al.*, *Zh. Fiz. Khim.*, 1972, **46**, 2166, (*synth, GdH₃*)
Lyle, S.J. *et al.*, *J.C.S. Dalton*, 1975, 1406, (*Mössbauer, GdH₃*)
Konenko, I.R. *et al.*, *Kinet. Katal.*, 1977, **18**, 1301, (*use, GdH₂*)
Flood, D.J., *Phys. Lett. A*, 1977, **60**, 463, (*magnetism, GdH₃*)
Oesterreicher, H. *et al.*, *J. Solid State Chem.*, 1979, **29**, 191, (*synth, GdH₂*)
Magee, C.B., *J. Less-Common Met.*, 1980, **72**, 273, (*struct, GdH₂*)
Baumann, C.A. *et al.*, *J. Chem. Phys.*, 1981, **75**, 5291, (*epr, GdH₃*)
Bishof, R. *et al.*, *Helv. Phys. Acta*, 1982, **55**, 348, (*thermodyn, GdH₂*)