



>>Entry Name: Ethylthiourea

CAS Registry Number: 625-53-6
EtNHCSNH₂

Molecular Formula: C₃H₈N₂S
Molecular Weight: 104.176
Accurate Mass: 104.040818
Percentage Composition: C 34.59%; H 7.74%; N 26.89%; S 30.78%
Melting Point: Mp 113°

Aldrich: 25253-0
Fluka: 4890

>>Derivative: N'-Me
Synonym(s): N-Ethyl-N'-methylthiourea, 9CI

CAS Registry Number: 10220-04-9
Molecular Formula: C₄H₁₀N₂S
Molecular Weight: 118.202
Accurate Mass: 118.056468
Percentage Composition: C 40.65%; H 8.53%; N 23.70%; S 27.13%
Physical Description: Cryst.
Melting Point: Mp 54°

>>Derivative: N'-Et
Synonym(s): N,N'-Diethylthiourea, 9CI. Thiate H

CAS Registry Number: 105-55-5
Molecular Formula: C₅H₁₂N₂S
Molecular Weight: 132.229
Accurate Mass: 132.072118
Percentage Composition: C 45.42%; H 9.15%; N 21.19%; S 24.25%
Physical Description: Cryst.
Melting Point: Mp 77°. Mp 102°
Solubility: Sol. H₂O, EtOH
Hazard & Toxicity: LD₅₀ (rat, orl) 316 mg/kg

Aldrich: D10090-0
Fluka: 32560
Rare Chemicals Library: S40769-0

References:

Aldrich Library of FT-IR Spectra, 1st edn., 1985, **1**, 827D; 829C, (ir)
Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **1**, 1336B; 1339A, (nmr)
Hofmann, A.W., *Ber.*, 1868, **1**, 27; 201, (synth)
Mameli, E. *et al.*, *Ann. Chim. (Rome)*, 1956, **46**, 545, (synth)
Neville, R.G. *et al.*, *Can. J. Chem.*, 1963, **41**, 2123, (synth)
Gilli, G. *et al.*, *Ric. Sci.*, 1968, **38**, 848, (cryst struct)
Baldwin, M.A. *et al.*, *Org. Mass Spectrom., Suppl.*, 1970, **4**, 81, (ms)
Sullivan, R.H. *et al.*, *Org. Magn. Reson.*, 1983, **21**, 293, (cmr)
Mido, Y. *et al.*, *Spectrochim. Acta A*, 1988, **44**, 661, (ir, Raman)
Sibi, M.P., *Magn. Reson. Chem.*, 1991, **29**, 401, (N-15 nmr)
Ramnathan, A. *et al.*, *Acta Cryst. C*, 1995, **51**, 2446, (cryst struct, diethylthiourea)
Jimenez Blanco, J.L. *et al.*, *Synthesis*, 1999, 1907-1914, (N'-Et)
Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn.*, Van Nostrand Reinhold, 1992, DKC400; EPR600