




>>Entry Name: 4-Hydroxy-3-iodo-5-nitrobenzoic acid



Molecular Formula: C₇H₄INO₅

Molecular Weight: 309.017

Accurate Mass: 308.913422

Percentage Composition: C 27.21%; H 1.30%; I 41.07%; N 4.53%; O 25.89%

>>Derivative: Nitrile

Synonym(s): 4-Hydroxy-3-iodo-5-nitrobenzonitrile, 9CI, 8CI. 4-Cyano-2-iodo-6-nitrophenol. **Nitroxinil**, INN. Nitroxynil, BAN

CAS Registry Number: 1689-89-0

Molecular Formula: C₇H₃IN₂O₃

Molecular Weight: 290.017

Accurate Mass: 289.918841

Percentage Composition: C 28.99%; H 1.04%; I 43.76%; N 9.66%; O 16.55%

Use/Importance: Anthelmintic (fasciolicide)

Physical Description: Yellow cryst. (C₆H₆)

Melting Point: Mp 137-138°

Solubility: Sl. sol. H₂O

pKa Value: pK_a 2.85

Calculated Log P Data: Log P 2.33 (calc)

>>Derivative: Nitrile, N-methylglucamine salt (1:1)

Synonym(s): Fasciolid

CAS Registry Number: 10532-59-9

Physical Description: Dimorphic cryst. + ½H₂O and 3H₂O

Melting Point: Mp 85-88°. Mp 56.5-59°

>>Derivative: Nitrile, N-ethylglucamine salt (1:1)

Synonym(s): Dovenix. Trodax. M and B 20755H

CAS Registry Number: 27917-82-4

Melting Point: Mp 47-105°

References:

Lucus, J.M.S., *Br. Vet. J.*, 1967, **123**, 198, (*pharmacol*)

Davis, M. *et al.*, *Chem. Ind. (London)*, 1967, 1918, (*synth, N-methylglucamine, N-ethylglucamine salts*)

Davis, M. *et al.*, *J. Sci. Food Agric.*, 1969, **20**, 748, (*synth, pharmacol*)

Kiss, A.I. *et al.*, *Tetrahedron*, 1983, **39**, 3201, (*synth, ir, pmr*)

Tarbin, J.A. *et al.*, *J. Chromatogr.*, 1993, **613**, 347, (*hplc*)

Markus, B. *et al.*, *J. Pharm. Sci.*, 1994, **83**, 1729, (*metab*)

Martindale, The Extra Pharmacopoeia, 31st edn., Pharmaceutical Press, 1996, 121

Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn., Van Nostrand Reinhold, 1992, HLJ500*