



>>Derivative: Me ether

Synonym(s): 4-Methoxy-2,5-dimethyl-3(2*H*)-furanone. *O*-Methylfuraneol. **Mesifurane**. FEMA 3664

CAS Registry Number: 4077-47-8

Molecular Formula: C₇H₁₀O₃

Molecular Weight: 142.154

Accurate Mass: 142.062995

Percentage Composition: C 59.14%; H 7.09%; O 33.76%

Biological Source: Constit. of various fruits incl. raspberry, strawberry and mango

Use/Importance: Flavouring ingredient

Physical Description: Oil with burned sugar odour

Boiling Point: Bp_{0.3} 61-63°

Aldrich: W36640-4

>>Variant: (ξ)-form

Molecular Formula: C₆H₈O₃

Molecular Weight: 128.127

Accurate Mass: 128.047345

Percentage Composition: C 56.25%; H 6.29%; O 37.46%

References:

- Aldrich Library of 13C and 1H FT NMR Spectra*, 1992, **3**, 19C, (*nmr*)
Rodin, J.O. *et al.*, *J. Food Sci.*, 1965, **30**, 280, (*isol, ir, uv, pmr*)
Henry, D.W. *et al.*, *J.O.C.*, 1966, **31**, 2391, (*synth, ir, pmr, uv*)
Re, L. *et al.*, *Helv. Chim. Acta*, 1973, **56**, 1882, (*synth*)
Büchi, G. *et al.*, *J.O.C.*, 1973, **38**, 123, (*synth, pmr*)
Hunter, G.L.K. *et al.*, *J. Food Sci.*, 1974, **39**, 900, (*occur*)
Mills, F.D., *J. Agric. Food Chem.*, 1978, **26**, 894, (*synth, ms*)
Wong, C.H. *et al.*, *J.O.C.*, 1983, **48**, 3493, (*synth, pmr*)
Briggs, M.A. *et al.*, *J.C.S. Perkin I*, 1985, 795, (*synth*)
Mayerl, F. *et al.*, *Phytochemistry*, 1989, **28**, 631, (*isol, deriv, synth*)
Mazenod, F. *et al.*, *Chimia*, 1992, **46**, 403, (*synth*)
Inokuchi, T. *et al.*, *J.O.C.*, 1992, **57**, 5023, (*synth*)
Farine, J.-P. *et al.*, *Biosci., Biotechnol., Biochem.*, 1993, **57**, 2026, (*isol, ir, ms*)
Roscher, R. *et al.*, *Phytochemistry*, 1996, **43**, 155, (*6-malonylglucoside*)
Zabetakis, I. *et al.*, *Spec. Publ. - R. Soc. Chem.*, 1996, **197**, 90-93, (*biosynth*)
Encyclopedia of Food and Color Additives, (ed. Burdock, G.A.), CRC Press, 1997, 861; 1369, (*use, occur, Me ether*)
Fenaroli's Handbook of Flavor Ingredients, 4th edn., (ed. Burdock, G.A.), CRC Press, 2001, 17, (*use, Ac*)