



>>Entry Name: 4-Hydroxy-4-methyl-2-pentanone, 9CI

Synonym(s): Diacetone alcohol. Acetonyldimethylcarbinol. Pyranton A

CAS Registry Number: 123-42-2



Molecular Formula: $\text{C}_6\text{H}_{12}\text{O}_2$

Molecular Weight: 116.16

Accurate Mass: 116.08373

Percentage Composition: C 62.04%; H 10.41%; O 27.55%

Biological Source: Isol. from the arctic bramble *Rubus arcticus*, from green algae and from the sleepy grass sp. *Stipa vaseyi*. Prod. by *Streptomyces olivaceus*. Prod. from acetone in the presence of base

Use/Importance: Solvent, preservative in pharmaceutical preparations. Used in brake fluids and surface coatings, low acute tox.

Biological Use/Importance: Hypnotic

Physical Description: Oil

Melting Point: Mp -44°

Boiling Point: Bp 164° . Bp₁₁ $63-64^\circ$

Solubility: Sol. H_2O

Hazard & Toxicity: Skin, mucous membrane and severe eye irritant. Inhalation causes headache, nausea, eye and pulmonary effects. Exp. hepatotoxic. Flammable, fl. p. $55/59/64^\circ$, autoignition temp. $603/643^\circ$. OES: long-term 50 ppm; short-term 75 ppm

Aldrich: H4154-4

Fluka: 31450

>>Derivative: Oxime

CAS Registry Number: 17918-67-1

Molecular Formula: $\text{C}_6\text{H}_{13}\text{NO}_2$

Molecular Weight: 131.174

Accurate Mass: 131.094629

Percentage Composition: C 54.94%; H 9.99%; N 10.68%; O 24.39%

Melting Point: Mp $104-105^\circ$ (58.5°)

>>Derivative: 2,4-Dinitrophenylhydrazone

CAS Registry Number: 95122-53-5

Melting Point: Mp $198-199^\circ$

>>Derivative: Me ether

Synonym(s): 4-Methoxy-4-methyl-2-pentanone. Pentoxone

CAS Registry Number: 107-70-0

Molecular Formula: $\text{C}_7\text{H}_{14}\text{O}_2$

Molecular Weight: 130.186

Accurate Mass: 130.09938

Percentage Composition: C 64.58%; H 10.84%; O 24.58%

Use/Importance: Solvent for lacquers and resins

Boiling Point: Bp₂₂ 95° . Bp₁₀ 48°

References:

Aldrich Library of ^{13}C and ^1H FT NMR Spectra, 1992, **1**, 655B, (nmr)

Aldrich Library of FT-IR Spectra, 1st edn., 1985, **1**, 421C, (ir)

Aldrich Library of FT-IR Spectra: Vapor Phase, 1989, **3**, 507D, (ir)

Org. Synth., Coll. Vol., **1**, 1932, 199, (synth)

Lorette, N.B., J.O.C., 1958, **23**, 937, (Me ether)

Epstein, W. et al., Experientia, 1964, **20**, 390, (isol)

Nourse, J.G. et al., J.A.C.S., 1975, **97**, 4584, (cmr)

Lechevallier, A. et al., Tetrahedron, 1983, **39**, 3317, (Me ether)

March, R.E. et al., Can. J. Chem., 1988, **66**, 591, (ms)

Sato, S. et al., J. Organomet. Chem., 1988, **352**, 223, (Me ether)

Coleman, W.M. et al., Appl. Spectrosc., 1989, **43**, 305, (ir)

Grote, R. et al., Annalen, 1990, 525, (isol, pmr, cmr)

Lewis, R.J., Sax's Dangerous Properties of Industrial Materials, 8th edn., Van Nostrand Reinhold, 1992, DBF750; MEX250

Luxon, S.G., Hazards in the Chemical Laboratory, 5th edn., Royal Society of Chemistry, 1992, 702