



Molecular Formula: C₂₁H₂₂N₂O₆
Molecular Weight: 398.415
Accurate Mass: 398.147788
Percentage Composition: C 63.31%; H 5.57%; N 7.03%; O 24.09%
Biological Source: Constit. of *Medicago sativa*
Optical Rotation: [α]_D +34.5 (c, 0.4 in EtOH)

>>**Variant:** DL-form

CAS Registry Number: 721-66-4
Molecular Formula: C₁₁H₁₄N₂O₃
Molecular Weight: 222.243
Accurate Mass: 222.100443
Percentage Composition: C 59.45%; H 6.35%; N 12.60%; O 21.60%
Physical Description: Cryst. (EtOH aq.)
Sigma: G2627

>>**Derivative:** *N*-Benzyloxycarbonyl

CAS Registry Number: 5540-03-4
Physical Description: Cryst. (EtOH aq.)
Melting Point: Mp 162.5-163.5°

>>**Derivative:** Benzyloxycarbonyl, Et ester

CAS Registry Number: 5276-61-9
Molecular Formula: C₂₁H₂₄N₂O₅
Molecular Weight: 384.431
Accurate Mass: 384.168523
Percentage Composition: C 65.61%; H 6.29%; N 7.29%; O 20.81%
Physical Description: Cryst. (C₆H₆/petrol)
Melting Point: Mp 92°

References:

Simmonds, S. *et al.*, *J. Biol. Chem.*, 1947, **169**, 91
Ben-Ishai, D., *J.O.C.*, 1954, **19**, 62, (*synth*)
Grassman, W. *et al.*, *Chem. Ber.*, 1958, **91**, 449
Andersen, G.W. *et al.*, *J.A.C.S.*, 1960, **82**, 3359
Paul, R. *et al.*, *J.A.C.S.*, 1960, **82**, 4596, (*derivs*)
Katakai, R. *et al.*, *J.O.C.*, 1972, **37**, 327, (*synth*)
Marsh, R.E. *et al.*, *Acta Cryst. B*, 1976, **32**, 66, (*cryst struct*)
van Rompaey, L. *et al.*, *Bull. Soc. Chim. Belg.*, 1976, **85**, 657, (*synth, N-feruloyl*)
van Sumere, C.F. *et al.*, *Phytochemistry*, 1980, **19**, 704, (*N-feruloyl*)