




>>Entry Name: Glycylglycylhistidine



Molecular Formula: C₁₀H₁₅N₅O₄

Molecular Weight: 269.26

Accurate Mass: 269.112405

Percentage Composition: C 44.61%; H 5.61%; N 26.01%; O 23.77%

>>Variant: (*S*)-form

Synonym(s): L-form

CAS Registry Number: 7451-76-5

Molecular Formula: C₁₀H₁₅N₅O₄

Molecular Weight: 269.26

Accurate Mass: 269.112405

Percentage Composition: C 44.61%; H 5.61%; N 26.01%; O 23.77%

Use/Importance: Cu-binding peptide

Physical Description: Cryst. (propanol aq.)

Other Data: Dec. > 210°

>>Derivative: Acetate (1:1)

Physical Description: Cryst. (EtOH/Et₂O)

Melting Point: Mp 130°

Optical Rotation: [α]_D¹⁸+16 (c, 2 in H₂O)

>>Derivative: *N*-Benzyloxycarbonyl, Me ester

Physical Description: Cryst. + ½H₂O (propanol/Et₂O)

Melting Point: Mp 192-195°

Optical Rotation: [α]_D²⁰-5.3 (AcOH)

References:

Losse, G. *et al.*, *Chem. Ber.*, 1961, **94**, 2768

Losse, G. *et al.*, *Annalen*, 1964, **678**, 148, (*synth*)

Bryce, G.F. *et al.*, *J. Biol. Chem.*, 1965, **240**, 3837, (*synth*)

Yokoyama, A. *et al.*, *Bull. Chem. Soc. Jpn.*, 1974, **47**, 112, (*synth*)

Tanokura, M. *et al.*, *Biopolymers*, 1976, **15**, 393, (*pmr*)

Marchal, J.P. *et al.*, *Biochemistry*, 1980, **19**, 1301, (*N-15 nmr*)

Lau, S.-J. *et al.*, *J.C.S. Dalton*, 1981, 491, (*Cu complexes*)