



CAS Registry Number: 12137-12-1

Molecular Formula: Ni₃S₄

Molecular Weight: 304.334

Accurate Mass: 301.694318

Percentage Composition: Ni 57.85%; S 42.15%

Source/Synthesis: Mineral, occurs in Germany

Physical Description: Grey-black cryst.

Solubility: Sol. HNO₃

>>Variant: Nickel sulfide (NiS₂)

CAS Registry Number: 12035-51-7

Molecular Formula: NiS₂

Molecular Weight: 122.822

Accurate Mass: 121.879486

Percentage Composition: Ni 47.78%; S 52.22%

Source/Synthesis: Synth. from Nickel(II) carbonate (NiCO₃) JCB86-P + K₂CO₃ + S

Physical Description: Dark iron grey solid

Other Data: Antiferromagnetic

Aldrich: 34247-5

References:

Sidgwick, N.V., *The Chemical Elements and their Compds.*, Oxford, 1950, 1432

Remy, H., *Treatise Inorg. Chem.*, Elsevier, 1956, **2**, 312

Goodenough, J.B., *Magnetism and the Chemical Bond*, Interscience, 1963, 98; 102

Brauer, G., *Handbuch Prap. Anorg. Chem.*, 3rd edn., Ferdinand Enke Verlag, 1975, **3**, 1692, (*synth*)

Kirk-Othmer Encycl. Chem. Technol., 3rd edn., Wiley, 1978, **15**, 805

Pasquariello, D.M. *et al.*, *Inorg. Chem.*, 1984, **23**, 872, (Ni₃S₂)

Wells, A.F., *Structural Inorg. Chem.*, 5th Ed., Oxford, 1984, 752, (*struct*)

Metcalf, P.A. *et al.*, *J. Solid State Chem.*, 1993, **104**, 81, (*synth, cryst struct, powder struct, tem, elect conductivity, magnetism, Ni₃S₂*)

Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials*, 8th edn., Van Nostrand Reinhold, 1992, NDB875; NDL100