



CAS Registry Number: 16624-39-8

Molecular Formula: C₄H₃ClN₂O

Molecular Weight: 130.533

Accurate Mass: 129.99339

Percentage Composition: C 36.81%; H 2.32%; Cl 27.16%; N 21.46%; O 12.26%

>>Derivative: Me ether

Synonym(s): 3-Chloro-6-methoxypyridazine

CAS Registry Number: 1722-10-7

Molecular Formula: C₅H₅ClN₂O

Molecular Weight: 144.56

Accurate Mass: 144.00904

Percentage Composition: C 41.54%; H 3.49%; Cl 24.52%; N 19.38%; O 11.07%

Physical Description: Solid (H₂O)

Melting Point: Mp 90°

Boiling Point: Bp₃ 174-175°

Aldrich: 10859-6

>>Derivative: Me ether, 1-oxide

CAS Registry Number: 14634-52-7

Molecular Formula: C₅H₅ClN₂O₂

Molecular Weight: 160.559

Accurate Mass: 160.003955

Percentage Composition: C 37.40%; H 3.14%; Cl 22.08%; N 17.45%; O 19.93%

Physical Description: Solid

Melting Point: Mp 160-161°

References:

- Aldrich Library of FT-IR Spectra*, 1st edn., 1985, **2**, 806A, (*ir*)
Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **3**, 356C, (*nmr*)
Druey, J. *et al.*, *Helv. Chim. Acta*, 1954, **37**, 121, (*synth, derivs*)
Eichenberger, K. *et al.*, *Helv. Chim. Acta*, 1954, **37**, 837, (*synth, deriv*)
Tsukasa, K., *Chem. Pharm. Bull.*, 1957, 376, (*synth*)
Feuer, H. *et al.*, *J.O.C.*, 1959, **24**, 811, (*synth*)
Itai, T. *et al.*, *Chem. Pharm. Bull.*, 1962, **10**, 933, (*oxide*)
Coad, P. *et al.*, *J.O.C.*, 1964, **29**, 1751, (*Me ether, synth*)
Bowie, J.H. *et al.*, *Aust. J. Chem.*, 1967, **20**, 2677, (*ms, derivs*)
Salisbury, R.G. *et al.*, *J. Het. Chem.*, 1967, **4**, 431, (*ir*)
Schoenbeck, R. *et al.*, *Monatsh. Chem.*, 1968, **99**, 15, (*hydrazone*)
Tsuchiya, T. *et al.*, *Chem. Pharm. Bull.*, 1974, **22**, 2301, (*synth, deriv*)
Norishita, M. *et al.*, *Bunseki Kagaku (Jpn. Anal.)*, 1981, **30**, 460, (*detn, Ni*)
Buzynkin, B.I. *et al.*, *Khim. Geterotsikl. Soedin.*, 1982, 1536, (*uv*)
Heinisch, G. *et al.*, *Can. J. Chem.*, 1991, **69**, 972, (*pmr, cmr*)
Shin, M.-S. *et al.*, *J. Het. Chem.*, 1999, **36**, 1135-1142, (*Me ether*)