




>>Entry Name: Stenbolone, INN

Synonym(s): 17-Hydroxy-2-methylandroster-1-en-3-one, 9Cl, 8Cl



CAS Registry Number: 5197-58-0

Molecular Formula: $C_{20}H_{30}O_2$

Molecular Weight: 302.456

Accurate Mass: 302.22458

Percentage Composition: C 79.42%; H 10.00%; O 10.58%

Use/Importance: Anabolic steroid

Physical Description: Cryst. (Me₂CO/hexane)

Melting Point: Mp 155-158°

Optical Rotation: $[\alpha]_D^{26} +52$ (CHCl₃)

Calculated Log P Data: Log P 3.74 (uncertain value) (calc)

Other Data: Stereochem. is (5 α ,17 β OH)

>>Derivative: Ac

Synonym(s): Stenbolone acetate, USAN. Anatrofin. RS 2106. S 3760

CAS Registry Number: 1242-56-4

Molecular Formula: $C_{22}H_{32}O_3$

Molecular Weight: 344.493

Accurate Mass: 344.235145

Percentage Composition: C 76.70%; H 9.36%; O 13.93%

Use/Importance: Anabolic steroid

Physical Description: Cryst. (Me₂CO/hexane)

Melting Point: Mp 146-149°

Optical Rotation: $[\alpha]_D^{26} +60$ (CHCl₃)

Calculated Log P Data: Log P 4.68 (uncertain value) (calc)

>>Derivative: 2,4-Dinitrophenylhydrazone

Physical Description: Cryst. (CHCl₃/EtOH)

Melting Point: Mp 266-268°

References:

Mauli, R. *et al.*, *J.A.C.S.*, 1960, **82**, 5494, (*synth*)

Counsell, A.E., *J.O.C.*, 1962, **27**, 248, (*synth, uv, ir*)

Martindale, The Extra Pharmacopoeia, 28th/29th edn., *Pharmaceutical Press*, 1982, 13268

Goudreault, D. *et al.*, *J. Steroid Biochem. Mol. Biol.*, 1991, **38**, 639; 1992, **42**, 399, (*metab, gc-ms*)