



CAS Registry Number: 27822-68-0

Molecular Formula: C₇H₁₃NO₂

Molecular Weight: 143.185

Accurate Mass: 143.094629

Percentage Composition: C 58.72%; H 9.15%; N 9.78%; O 22.35%

Boiling Point: Bp_{2.1} 139-142°

>> **Derivative:** N-Me

CAS Registry Number: 3554-65-2

Boiling Point: Bp₁₂ 67-68°

References:

- Aldrich Library of FT-IR Spectra, 1st edn.*, 1985, **1**, 356D, (*ir*)
Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **1**, 560C; 561A; **2**, 637A, (*nmr*)
Aldrich Library of FT-IR Spectra: Vapor Phase, 1989, **3**, 442C; 445D; 446B; 571B; 1176B, (*ir*)
Kostyanovsky, R.G. *et al.*, *Tetrahedron*, 1974, **30**, 39, (*synth*)
Anderson, N.H. *et al.*, *J.C.S. Perkin 1*, 1975, 825, (*synth*)
Seebach, D. *et al.*, *Helv. Chim. Acta*, 1977, **60**, 301, (*synth*)
Schmidt, V. *et al.*, *Synthesis*, 1978, 752, (*synth*)
Enders, D. *et al.*, *Chem. Ber.*, 1979, **112**, 3703, (*synth*)
Hammes, C.F. *et al.*, *Tetrahedron*, 1981, **37**, 2173, (*synth*)
Fr. Pat., 1983, 2 520 360; *CA*, **100**, 34243e, (*synth*)
Itsuno, S. *et al.*, *J.C.S. Perkin 1*, 1984, 2887, (*synth, use*)
Enders, D. *et al.*, *Org. Prep. Proced. Int.*, 1985, **17**, 1, (*synth*)
Dieter, R.K. *et al.*, *J.A.C.S.*, 1987, **109**, 2040, (*synth, deriv*)
Fieser and Fieser's Reagents for Organic Synthesis, Wiley, 1988, **13**, 180; **16**, 208, (*use, Me ether*)
Nicoud, J. *et al.*, *Mol. Cryst. Liq. Cryst.*, 1988, **156**, 257, (*synth*)
Ahlbrecht, H. *et al.*, *Chem. Ber.*, 1989, **122**, 1995, (*synth, methoxymethylpyrrolidine*)
Weber, T. *et al.*, *Synlett*, 1989, 20-22, (*N-amino*)
Soucek, M. *et al.*, *Coll. Czech. Chem. Comm.*, 1990, **55**, 761-765, (*Boc, synth*)
Leete, E. *et al.*, *J.A.C.S.*, 1991, **113**, 9286, (*1-Me, synth, pmr, cmr, ms*)
Kinder, F.R. *et al.*, *J.O.C.*, 1991, **56**, 6475, (*synth, ir, pmr*)
Gawley, R.E. *et al.*, *J.O.C.*, 1995, **60**, 5763, (*1-Me synth*)
Rosling, A. *et al.*, *Heterocycles*, 1997, **45**, 95-106, (*N-amino, synth, pmr, cmr*)