



>>Entry Name: Praseodymium(III) chloride (PrCl₃)

Synonym(s): Praseodymium trichloride

CAS Registry Number: 10361-79-2

PrCl₃

Molecular Formula: Cl₃Pr

Molecular Weight: 247.266

Accurate Mass: 245.814103

Percentage Composition: Cl 43.01%; Pr 56.99%

Physical Description: Hygroscopic blue-green needles

Melting Point: Mp 786°

Boiling Point: Bp 1700° (1905°)

Solubility: Sol. H₂O, EtOH

Aldrich: 45121-5

>>Derivative: Hexahydrate

CAS Registry Number: 17272-46-7

Physical Description: Cryst.

Other Data: Isostructural with Nd, Sm, Gd, Dy, Lu analogues. Contains [PrCl₂(OH₂)₆]⁽⁺⁾ ions with square antiprismatic coord.

Aldrich: 20514-1

>>Derivative: Heptahydrate

Synonym(s): Tetradecaaquadi-μ-chlorodipraseodymium(4+) tetrachloride

CAS Registry Number: 10025-90-8

Molecular Formula: Cl₃H₁₄O₇Pr

Molecular Weight: 373.372

Accurate Mass: 371.888058

Percentage Composition: Cl 28.49%; H 3.78%; O 30.00%; Pr 37.74%

Physical Description: Green cryst.

Melting Point: Mp 115° (109°)

Solubility: V. sol; H₂O, sol. EtOH

Other Data: Begins to dehydrate at 65°

Aldrich: 20413-7

>>Derivative: Bis-THF complex

References:

- von Scheele, C., *Z. Anorg. Allg. Chem.*, 1898, **17**, 310, (*hydrate, synth*)
Zachariasen, W.H., *Acta Cryst.*, 1948, **1**, 265, (*cryst struct*)
Zachariasen, W.H., *J. Chem. Phys.*, 1948, **16**, 254
Wendlandt, W.W., *J. Inorg. Nucl. Chem.*, 1957, **5**, 118, (*hydrate, tga, synth*)
Schneider, B., *Z. Phys.*, 1964, **177**, 179; 1965, **183**, 504, (*magnetism*)
Brown, D., *Halides of the Lanthanides and Actinides*, Wiley-Interscience, 1968, 148, (*rev*)
Berreman, D.W. *et al.*, *Phys. Rev.*, 1968, **174**, 791, (*ir*)
Damen, T.C. *et al.*, *Solid State Commun.*, 1968, **6**, 671, (*Raman*)
Basile, L.J. *et al.*, *J. Chem. Phys.*, 1971, **55**, 3729, (*ir*)
Current, D.H. *et al.*, *Phys. Rev. B*, 1972, **6**, 737, (*struct*)
Selivanov, G.K. *et al.*, *Zh. Fiz. Khim.*, 1973, **47**, 2182, (*ir*)
Kato, Y. *et al.*, *Bull. Chem. Soc. Jpn.*, 1974, **47**, 1047, (*mcd*)
Petersen, E.S. *et al.*, *Acta Cryst. B*, 1979, **35**, 805, (*hydrate, cryst struct*)
Chivian, J.S. *et al.*, *J. Opt. Soc. Am.*, 1979, **69**, 1622, (*uv-vis*)
Gmelin Handbook Inorg. Chem., Syst. No. 39, 1982, **C4a**, 51; **C4b**, 133, (*rev*)
Lee, E.P.F. *et al.*, *Proc. R. Soc. London, A*, 1982, **381**, 373, (*pe*)
Inorg. Synth., 1983, **22**, 39; 1989, **25**, 146, (*synth*)
Uwamino, Y. *et al.*, *Bull. Chem. Soc. Jpn.*, 1986, **59**, 2263, (*pe*)
Chen, J. *et al.*, *Acta Cryst. C*, 1991, **47**, 1074, (*cryst struct*)
Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials*, 8th edn., Van Nostrand Reinhold, 1992, PLX750