



>>Entry Name: Samarium(II) iodide (SmI₂)

Synonym(s): Samarium diiodide. Kagan's reagent

CAS Registry Number: 32248-43-4

SmI₂

Molecular Formula: I₂Sm

Molecular Weight: 404.169

Accurate Mass: 405.728675

Percentage Composition: I 62.80%; Sm 37.20%

Source/Synthesis: Can be synth. from Sm + 1,2-diiodoethane

Use/Importance: Reducing agent for org. synth., reagent for C-C bond formn.; in THF, deoxygenates epoxides, reduces sulfones, azides, etc.; reacts with O₂ in soln. to form a peroxide complex which is an efficient peroxidising reagent. May induce C-C bond fragmentation

Physical Description: Air-sensitive dark green or yellow solid

Melting Point: Mp 527° (520°)

Boiling Point: Bp 1580°

Solubility: Sol. THF

Other Data: Reacts with H₂O (wine red soln.). $\Delta H_f^\circ -141 \text{ KJ mol}^{-1}$. $\mu_{\text{eff}} = 3.52\mu_B$ (25°)

Aldrich: 40934-0

Fluka: 84453

>>Derivative: Bis(*tert*-butyl cyanide) complex

CAS Registry Number: 97316-33-1

Molecular Formula: C₁₀H₁₈I₂N₂Sm

Molecular Weight: 570.435

Accurate Mass: 571.875673

Percentage Composition: C 21.06%; H 3.18%; I 44.49%; N 4.91%; Sm 26.36%

Physical Description: Air-sensitive dark green cryst.

Solubility: Sol. Me₃CCN

Other Data: Chain struct. with bridging iodines. V. bent Sm-N≡C (151°)

References:

Gmelin Handbook Inorg. Chem., Syst. No. 39, 1978, **C6**, 192, (rev)

Haschke, J.M., Handbook on the Physics and Chemistry of Rare Earths, 1979, **4**, 119, (rev)

Girard, P. et al., J.A.C.S., 1980, **102**, 2693, (use)

Namy, J.L. et al., Nouv. J. Chim., 1981, **5**, 479, (synth)

Kamenskaya, A.N. et al., Zh. Neorg. Khim., 1983, **28**, 2499; Russ. J. Inorg. Chem. (Engl. Transl.), 1983, **28**, 1420, (uv-vis)

Chebolu, V. et al., Inorg. Chem., 1985, **24**, 3082, (synth, cryst struct)

Fukuzawa, S. et al., Chem. Comm., 1987, 920, (use)

Molander, G.A. et al., J.O.C., 1988, **53**, 2132, (use)

100 Modern Reagents, (ed. Simpkins, N.S.), Royal Society of Chemistry, 1989, 157, (use)

Fieser and Fieser's Reagents for Organic Synthesis, Wiley, 1990, **15**, 282-284, (use)

Encyclopaedia of Reagents for Organic Synthesis, (ed. Paquette, L.A.), Wiley, 1995, **6**, 4428-4432, (use)

Krief, A. et al., Acros Org. Acta, 1996, **2**, 17-19, (rev)

Molander, G.A. et al., Chem. Rev., 1996, **96**, 307-338, (rev)

Haque, A. et al., Chem. Comm., 1997, 2039-2040, (use)

Khan, F.A. et al., J. Prakt. Chem., 1997, **339**, 101, (use)