




>>Entry Name: 3,5,7-Trihydroxy-4',8-dimethoxyflavone

Synonym(s): 3,5,7-Trihydroxy-8-methoxy-2-(4-methoxyphenyl)-4*H*-1-benzopyran-4-one. 5,7-Dihydroxy-4',8-dimethoxyflavonol. **Prudomestin**



CAS Registry Number: 3443-28-5

Molecular Formula: C<sub>17</sub>H<sub>14</sub>O<sub>7</sub>

Molecular Weight: 330.293

Accurate Mass: 330.073955

Percentage Composition: C 61.82%; H 4.27%; O 33.91%

Biological Source: Isol. from heartwood of *Prunus domestica* and from *Pityrogramma triangularis*

Physical Description: Yellow needles (CHCl<sub>3</sub>/petrol)

Melting Point: Mp 209-210°

>>Derivative: 3-*O*-β-D-Glucopyranoside

Synonym(s): Prudomestin 3-glucoside

CAS Registry Number: 226952-40-5

Molecular Formula: C<sub>23</sub>H<sub>24</sub>O<sub>12</sub>

Molecular Weight: 492.435

Accurate Mass: 492.12678

Percentage Composition: C 56.10%; H 4.91%; O 38.99%

Biological Source: Constit. of *Cercidiphyllum japonicum*

>>Derivative: 7-*O*-β-D-Glucopyranside

Synonym(s): Prudomestin 7-glucoside. **Prudomenin**

CAS Registry Number: 24568-40-9

Molecular Formula: C<sub>23</sub>H<sub>24</sub>O<sub>12</sub>

Molecular Weight: 492.435

Accurate Mass: 492.12678

Percentage Composition: C 56.10%; H 4.91%; O 38.99%

Biological Source: Isol. from the wood of *Pityrogramma mune*

#### References:

- Nagajaran, M. *et al.*, *Phytochemistry*, 1964, **3**, 477, (*isol*)  
Krishnamurti, M. *et al.*, *Tetrahedron*, 1966, **22**, 941, (*synth*)  
Hasegawa, M., *Shokubutsugaku Zasshi*, 1969, **82**, 148; *CA*, **71**, 67949x, (*Prudomenin*)  
Goudard, M. *et al.*, *C. R. Hebd. Seances Acad. Sci.*, 1976, **282**, 683, (*synth*)  
Goudard, M. *et al.*, *Phytochemistry*, 1978, **17**, 145, (*ms*)  
Wollenweber, E. *et al.*, *Phytochemistry*, 1985, **24**, 965, (*isol*)  
Parmar, R.K. *et al.*, *Acta Cryst. C*, 1992, **48**, 1090, (*cryst struct*)  
Wang, J.-R. *et al.*, *Zhiwu Xuebao*, 1999, **41**, 209-212; *CA*, **131**, 29827j, (*3-glucoside*)