



>>>Derivative: Ni(II) salt

Synonym(s): Iron(III) nickel oxide (Fe₂NiO₄). Ferric nickel oxide (Fe₂NiO₄). Nickel ferrite

CAS Registry Number: 12168-54-6

Extra CAS Registry Numbers(s): 12707-85-6

Molecular Formula: Fe₂NiO₄

Molecular Weight: 234.382

Accurate Mass: 233.784884

Percentage Composition: Fe 47.65%; Ni 25.04%; O 27.30%

Source/Synthesis: Occurs as the mineral *Trevorite*. Synth. e.g. by heating NiO and Fe₂O₃ powders. Nanosized, ultrafine material obt. by 'citrate precursor' method: NiNO₃ + Fe(NO₃)₂ + citric acid heated at 90° to give gel; latter heated at 160-200°; further heat treatment at 280° leads to complete crystallisation of spinel phase

Physical Description: Black solid

Solubility: Insol. boiling HCl

Other Data: Inverse spinel; Curie point T_c 590-600° magnetic studies reveal Hopkinson Effect, i.e. when cooling from T_c, magnetisation displays no maximum, increasing in presence of field

>>>Derivative: Zn(II) salt

References:

Ward, R., *Prog. Inorg. Chem.*, 1959, **1**, 465, (rev, bibl)

Inorg. Synth., 1967, **9**, 152; 1968, **11**, 11, (synth, bibl)

Nouveau Traite de Chimie Minerale, 1967, 702, (bibl)

Das, B.K., *Prep. Charact. Mater.*, [Proc. Indo-U.S. Workshop], 1981, (Ed. Honig, J.M. et al), Academic Press, 1981, 75, (bibl)

Wells, A.F., *Structural Inorg. Chem.*, 5th Ed., OUP, 1984, 592, (bibl, struct)

Leib, W. et al., *Z. Anorg. Allg. Chem.*, 1986, **538**, 71, (cryst struct)

Graves, P.R. et al., *Mater. Res. Bull.*, 1988, **23**, 1651, (Raman, Fe₂MnO₄)

Allen, G.C. et al., *Appl. Surf. Sci.*, 1989, **37**, 111, (pe, Fe₂MnO₄)

Monrós, G. et al., *J. Mater. Chem.*, 1995, **5**, 85, (synth, Fe₂MnO₄)

Prasad, S. et al., *J. Alloys Compd.*, 1998, **265**, 87-92, (use, Ni(II)salt, magnetism, sem, powder struct, Mossbauer, surface studies, ir)