



>>Derivative: *N*-Oxide(*R*-)
Synonym(s): Epicorynoxidine

CAS Registry Number: 58000-48-9

Molecular Formula: C₂₁H₂₅NO₅
Molecular Weight: 371.432
Accurate Mass: 371.173274
Percentage Composition: C 67.91%; H 6.78%; N 3.77%; O 21.54%
Biological Source: From *Corydalis koidzumiana* (Fumariaceae)
Physical Description: Cryst. (Me₂CO)
Melting Point: Mp 193-195 dec.°
Optical Rotation: [α]_D −2

>>Variant: (±)-form

CAS Registry Number: 2934-97-6

Molecular Formula: C₂₁H₂₅NO₄
Molecular Weight: 355.433
Accurate Mass: 355.178359
Percentage Composition: C 70.96%; H 7.09%; N 3.94%; O 18.01%
Biological Source: Alkaloid from *Corydalis* spp. (Fumariaceae)
Physical Description: Scales (MeOH)
Melting Point: Mp 151° (147°)
Rare Chemicals Library: S42652-0

>>Derivative: Hydrochloride

Physical Description: Needles (H₂O)
Melting Point: Mp 215°

>>Derivative: Hydroiodide

Physical Description: Orange-yellow needles
Melting Point: Mp 241 dec.°

References:

- Späth, E. *et al.*, *Ber.*, 1923, **56**, 875, (*isol*)
Kametani, T. *et al.*, *J.C.S.(C)*, 1967, 530, (*synth, pmr, ir*)
Cava, M.P. *et al.*, *J.O.C.*, 1968, **33**, 2785, (*isol*)
Tani, C. *et al.*, *Chem. Lett.*, 1975, 1081, (*Corynoxidine, Epicorynoxidine*)
Hughes, D.W. *et al.*, *Can. J. Chem.*, 1976, **54**, 2252, (*cmr*)
Tourwe, D. *et al.*, *Org. Magn. Reson.*, 1977, **9**, 341, (*pmr*)
Narasimhan, N.S. *et al.*, *Tetrahedron*, 1983, **39**, 1975, (*synth*)
Wang, S. *et al.*, *Yiyao Gongye*, 1988, **19**, 444; *CA*, **110**, 173517s, (*synth*)
Hussain, R.A. *et al.*, *Heterocycles*, 1989, **29**, 2257, (*pmr, cmr*)
Orito, K. *et al.*, *Org. Prep. Proced. Int.*, 1989, **21**, 309, (*synth*)
Pyne, S.G. *et al.*, *J.O.C.*, 1990, **55**, 1932, (*synth, pmr, cmr, ms*)
Kessar, S.V. *et al.*, *J.O.C.*, 1992, **57**, 6716
Ribár, B. *et al.*, *Acta Cryst. C*, 1993, **49**, 1691, (*cryst struct*)
Lugar, P. *et al.*, *Acta Cryst. C*, 1998, **54**, 1977-1980, (*cryst struct*)