




>>Entry Name: 2-Trimethylsilyl-1,3-dithiane

Synonym(s): (1,3-Dithian-2-yl)trimethylsilane, 9Cl



CAS Registry Number: 13411-42-2

Molecular Formula: C₇H₁₆S₂Si

Molecular Weight: 192.421

Accurate Mass: 192.046267

Percentage Composition: C 43.69%; H 8.38%; S 33.33%; Si 14.60%

Source/Synthesis: Synth. from lithiodithiane + Me₃SiCl

Use/Importance: Commercially available synthetic reagent; reacts with carboxylic acid derivs.

Physical Description: Liq.

Boiling Point: Bp₈ 100°. Bp_{0.17} 54.5°

Refractive Index: n_D²⁰ 1.5331

Other Data: λ_{max} 244 (ε 711) and 277sh nm (800)

Aldrich: 22081-7

Fluka: 92744

>>Derivative: S-Oxide (*trans*-)

CAS Registry Number: 60349-82-8

Molecular Formula: C₇H₁₆OS₂Si

Molecular Weight: 208.42

Accurate Mass: 208.041182

Percentage Composition: C 40.34%; H 7.74%; O 7.68%; S 30.77%; Si 13.48%

Physical Description: Light yellow oil

Other Data: *O trans* to SiMe₃

References:

Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **3**, 676C, (*nmr*)

Aldrich Library of FT-IR Spectra, 1st edn., 1985, **2**, 1113C, (*ir*)

Aldrich Library of FT-IR Spectra: Vapor Phase, 1989, **3**, 1652B, (*ir*)

Brook, A.G. *et al.*, *J.A.C.S.*, 1967, **89**, 431, (*synth*)

Corey, E.J. *et al.*, *J.A.C.S.*, 1967, **89**, 434, (*synth, ir, uv, pmr*)

Seebach, D. *et al.*, *Angew. Chem., Int. Ed.*, 1973, **12**, 69, (*use*)

Carey, F.A. *et al.*, *J.O.C.*, 1976, **41**, 3975, (*synth, oxide*)

Salzmann, T.N. *et al.*, *J.A.C.S.*, 1980, **102**, 6161, (*use*)

Bulman Page, P.C. *et al.*, *J.C.S. Perkin 1*, 1988, 269, (*use*)