



**CAS Registry Number:** 13707-88-5

**Melting Point:** Mp 108-110°

**Hazard & Toxicity:** LD<sub>50</sub> (rat, orl) 590 mg/kg

**Sigma:** A8676

**References:**

- Brandstrom, A. *et al.*, *Acta Pharm. Suec.*, 1966, **3**, 303-310; *CA*, **68**, 21622, (*synth*)
- Karow, M.A. *et al.*, *Prog. Drug Res.*, 1971, **15**, 103, (*rev*)
- Barrans, Y. *et al.*, *Acta Cryst. B*, 1973, **29**, 1264, (*cryst struct*)
- Dangoumau, J. *et al.*, *J. Pharmacol.*, 1973, **4**, 5, (*conformn, props*)
- Caron, M.G. *et al.*, *J. Biol. Chem.*, 1976, **25**, 2374-2384, (*synth, dihydro*)
- Randall, M.H. *et al.*, *J. Med. Chem.*, 1977, **20**, 1090-1094, (*S-form dihydro*)
- Aablad, B. *et al.*, *Pharmacol. Antihypertens. Drugs*, 1980, 223, (*rev, pharmacol*)
- Negwer, M., *Organic-Chemical Drugs and their Synonyms*, 6th edn., *Akademie-Verlag*, 1987, 3726, (*synonyms*)
- Landi, M. *et al.*, *Biochem. Pharmacol.*, 1992, **44**, 665-672, (*bibl, dihydro*)
- Martindale, The Extra Pharmacopoeia*, 30th edn., *Pharmaceutical Press*, 1993, 628
- Höld, K.M., *J. Chromatogr. Sci.*, 1996, **34**, 13-19, (*glc, ms*)
- Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials*, 8th edn., *Van Nostrand Reinhold*, 1992, AGW000; AGW250