




>>Entry Name: Alliin

ENTRY UNDER REVIEW

Synonym(s): 3-(2-Propenylsulfinyl)alanine, 9Cl.  $\beta$ -Allysulfenylalanine. *S*-Allylcysteine sulfoxide



Molecular Formula:  $C_6H_{11}NO_3S$

Molecular Weight: 177.224

Accurate Mass: 177.045964

Percentage Composition: C 40.66%; H 6.26%; N 7.90%; O 27.08%; S 18.09%

>>Variant: (*R*)<sub>C</sub>(*S*)<sub>S</sub>-form

CAS Registry Number: 556-27-4

Molecular Formula:  $C_6H_{11}NO_3S$

Molecular Weight: 177.224

Accurate Mass: 177.045964

Percentage Composition: C 40.66%; H 6.26%; N 7.90%; O 27.08%; S 18.09%

Biological Source: Constit. of garlic oil (*Allium sativum*), also from ramsons (*Allium ursinum*)

Physical Description: Needles (Me<sub>2</sub>CO aq.)

Melting Point: Mp 163 dec.°

Optical Rotation:  $[\alpha]_D^{21} +67.7$  (c, 2.0 in H<sub>2</sub>O)

Other Data: Other stereoisomers have been prepared synthetically

>>Derivative: *N*-(1-Deoxy- $\beta$ -D-fructopyranosyl)

CAS Registry Number: 149340-22-7

Molecular Formula:  $C_{12}H_{21}NO_8S$

Molecular Weight: 339.366

Accurate Mass: 339.098789

Percentage Composition: C 42.47%; H 6.24%; N 4.13%; O 37.72%; S 9.45%

Biological Source: Isol. from garlic (*Allium sativum*)

Physical Description: Powder

Optical Rotation:  $[\alpha]_D^{20} -25.4$  (c, 0.41 in H<sub>2</sub>O)

>>Derivative: *N*-Ac

CAS Registry Number: 38131-20-3

Molecular Formula:  $C_8H_{13}NO_4S$

Molecular Weight: 219.261

Percentage Composition: C 43.82%; H 5.98%; N 6.39%; O 29.19%; S 14.62%

Melting Point: Mp 188-198 dec.°

Optical Rotation:  $[\alpha]_D^{21} -29$  (c, 1.0 in MeOH)

>>Derivative: *N*-Benzoyl

Molecular Formula:  $C_{13}H_{15}NO_4S$

Molecular Weight: 281.332

Percentage Composition: C 55.50%; H 5.37%; N 4.98%; O 22.75%; S 11.40%

Melting Point: Mp 152-153.5 dec.°

Optical Rotation:  $[\alpha]_D^{20} -6$  (c, 1.0 in MeOH)

>>Derivative: *N*-(4-Nitrobenzoyl)

Molecular Formula:  $C_{13}H_{14}N_2O_6S$

Molecular Weight: 326.329

Accurate Mass: 326.057258

Percentage Composition: C 47.85%; H 4.32%; N 8.58%; O 29.42%; S 9.83%

Melting Point: Mp 180-182 dec.°

Optical Rotation:  $[\alpha]$