




>>Entry Name: 2-Acetylnaphthalene

Synonym(s): 1-(2-Naphthalenyl)ethanone, 9CI. 2'-Acetonaphthone. Methyl β -naphthyl ketone



CAS Registry Number: 93-08-3

Molecular Formula: $C_{12}H_{10}O$

Molecular Weight: 170.21

Accurate Mass: 170.073165

Percentage Composition: C 84.68%; H 5.92%; O 9.40%

Source/Synthesis: Occurs in essential oils

Use/Importance: Perfumery ingredient. Fixative for perfumes

Physical Description: Needles (petrol)

Melting Point: Mp 56°

Boiling Point: Bp $301-303^{\circ}$. Bp₁₇ $171-173^{\circ}$

pKa Value: $pK_{a1} -5.71$ (20° , H_2SO_4 aq.)

Hazard & Toxicity: Human skin irritant. LD₅₀ (mus, orl) 599 mg/kg

Aldrich: W27230-2

Fluka: 68000

References:

Aldrich Library of ^{13}C and 1H FT NMR Spectra, 1992, **2**, 822A, (nmr)

Aldrich Library of FT-IR Spectra, 1st edn., 1985, **2**, 18C, (ir)

Aldrich Library of FT-IR Spectra: Vapor Phase, 1989, **3**, 1239B, (ir)

Barbot, A., *Bull. Soc. Chim. Fr.*, 1930, **47**, 1318, (synth)

Immediata, T. *et al.*, *J.O.C.*, 1940, **5**, 512, (synth)

Skulski, L., *Bull. Acad. Pol. Sci., Ser. Sci. Chim.*, 1969, **17**, 253, (uv)

Morris, W.W., *J. Assoc. Off. Anal. Chem.*, 1973, **56**, 1037, (ir)

Wells, P.R. *et al.*, *J.C.S. Perkin 2*, 1974, 1745, (cmr)

Opdyke, D.L.J., *Food Cosmet. Toxicol.*, 1975, **13**, 867, (rev, tox)

Lucchini, V. *et al.*, *Org. Magn. Reson.*, 1976, **8**, 137, (pmr)

Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn.*, Van Nostrand Reinhold, 1992, ABC500