




>>Entry Name: 4-(2-Aminoethyl)phenol, 9CI

ENTRY UNDER REVIEW

Synonym(s): 4-Hydroxybenzeneethanamine. 2-(*p*-Hydroxyphenyl)ethylamine. 4-Hydroxyphenethylamine. **Tyramine**. Tyrosamine



CAS Registry Number: 51-67-2

Related CAS Registry Numbers(s): 20375-37-5 70185-64-7

Molecular Formula: C₈H₁₁NO

Molecular Weight: 137.181

Accurate Mass: 137.084064

Percentage Composition: C 70.04%; H 8.08%; N 10.21%; O 11.66%

Biological Source: Widespread biogenic amine, found in several plant spp., such as *Magnolia* and *Desmodium* spp., *Pisum sativum* and *Hordeum vulgare* and in putrefied animal tissues. Found in urine of patients with Parkinson's disease. Also in mescal (*Lophophora williamsii*) and other cacti (Magnoliaceae, Leguminosae, Gramineae, Cactaceae). Also isol. from *Actinodaphne* sp., *Cannabis sativa*, *Piper nigrum* and other plant spp.

Use/Importance: Diagnostic aid. Vasopressor

Melting Point: Mp 164-164.5° (161°)

pKa Value: pK_{a1} 9.3; pK_{a2} 10.9 (25°)

Calculated Log P Data: Log P 0.62 (calc)

Hazard & Toxicity: LD₅₀ (mus, ivn) 229 mg/kg ; BERDY HAZD : LD₅₀ (mus, ivn) 229 mg/kg

Aldrich: T9034-4

Fluka: 93810

Sigma: T7255

>>Derivative: Hydrochloride

CAS Registry Number: 60-19-5

Melting Point: Mp 269°

Aldrich: T9035-2

Fluka: 93820

Sigma: T2879

>>Derivative: *N*-Ac

Synonym(s): *N*-[2-(4-Hydroxyphenyl)ethyl]acetamide. *N*-(*p*-Hydroxyphenethyl)acetamide, 8CI. ***N*-Acetyltyramine**

CAS Registry Number: 1202-66-0

Molecular Formula: C₁₀H₁₃NO₂

Molecular Weight: 179.218

Accurate Mass: 179.094629

Percentage Composition: C 67.02%; H 7.31%; N 7.82%; O 17.85%

Biological Source: Metab. of pathogenic fungi, mycobacteria, enterobacteria and from *Bombyx mori* at the chrysalis stage

Melting Point: Mp 134-135° (sinters at 128°)

>>Derivative: *O,N*-Di-Ac

CAS Registry Number: 14383-56-3

Molecular Formula: C₁₂H₁₅NO₃

Molecular Weight: 221.255

Accurate Mass: 221.105194

Percentage Composition: C 65.14%; H 6.83%; N 6.33%; O 21.69%

Melting Point: Mp 100.5°