




>>Entry Name: 1,3,5-Cycloheptatriene, 9CI

Synonym(s): Tropilidene. Tropilidine



CAS Registry Number: 544-25-2

Molecular Formula: C₇H₈

Molecular Weight: 92.14

Accurate Mass: 92.0626

Percentage Composition: C 91.25%; H 8.75%

Physical Description: Liq.

Boiling Point: Bp₇₄₉ 117°. Bp₁₂₂ 60.5°

Density: d₄¹⁸ 0.888

Refractive Index: n_D^{17.5} 1.5175

Other Data: Resinifies in air.

Hazard & Toxicity: LD₅₀ (rat, orl) 57 mg/kg. LD₅₀ (rat, skn) 442 mg/kg. Highly flammable, fl. p. 4°

Aldrich: C9920-5

Fluka: 28860

>>Derivative: Maleic anhydride adduct (1)

Melting Point: Mp 104.2-105°

Other Data: Prod. of photo and thermal reaction

>>Derivative: Maleic anhydride adduct (2)

Melting Point: Mp 138-139°

Other Data: Prod. of [4 + 2] photoaddn.

>>Derivative: Maleic anhydride adduct (3)

Melting Point: Mp 86°

Other Data: Prod. of [2 + 2] photoaddn.

>>Derivative: Dimer

see Pentacyclo[8.4.0.0^{3,7}.0^{4,14}.0^{6,11}]tetradeca-8,12-diene, [BFS69-E](#)

References:

Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **1**, 65B, (nmr)

Aldrich Library of FT-IR Spectra, 1st edn., 1985, **1**, 49A, (ir)

Aldrich Library of FT-IR Spectra: Vapor Phase, 1989, **3**, 72C, (ir)

Willstätter, R., *Annalen*, 1901, **317**, 204; 269, (synth)

Dryden, H.L., *J.A.C.S.*, 1954, **76**, 2841, (synth)

Lindsay, D.G. *et al.*, *Tetrahedron*, 1965, **21**, 1673, (synth)

Wehner, R. *et al.*, *Chem. Ber.*, 1974, **107**, 3152, (cmr)

Steuhl, H.M. *et al.*, *Angew. Chem., Int. Ed.*, 1994, **33**, 2431, (struct)

Green, M.L.H., *Chem. Rev.*, 1995, **95**, 439, (rev, complexes)

Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials, 8th edn.*, Van Nostrand Reinhold, 1992, COY000