



>>Entry Name: Dichlorotriphenylantimony, 9Cl

Synonym(s): Dichlorotriphenylstiborane. Triphenylantimony dichloride

CAS Registry Number: 594-31-0

Related CAS Registry Numbers(s): 34716-91-1

Ph_3SbCl_2

Molecular Formula: $\text{C}_{18}\text{H}_{15}\text{Cl}_2\text{Sb}$

Molecular Weight: 423.972

Accurate Mass: 421.9589

Percentage Composition: C 50.99%; H 3.57%; Cl 16.72%; Sb 28.72%

General Statement: Possesses t_{bp} struct. with axial Sb-Cl, 250.0 pm (mean) and equatorial Sb-Ph bonds, Sb-C 208.4-210.6 pm

Source/Synthesis: Synth. from $\text{Ph}_3\text{Sb} + \text{Cl}_2$ or SO_2Cl_2 , or $\text{Ph}_3\text{Sb} + \text{CuCl}_2$, or $\text{Ph}_2\text{Hg} + \text{SbCl}_5$

Use/Importance: Bactericide, fungicide. Catalyses reaction of aziridines with $\text{CS}_2 \rightarrow$ 1,3-thiazolidine-2-thiones

Physical Description: Cryst. (MeOH, EtOH/ CHCl_3 or cyclohexane/MeOH)

Melting Point: Mp 143°

Other Data: With $\text{Pd}(\text{OAc})_2/\text{NEt}_3 \rightarrow$ biphenyl. With $\text{Na}_2\text{S}_2\text{O}_3 \rightarrow$ Triphenylstibine sulfide [BNK23-C](#). Relatively unreactive to boiling H_2O . $\text{RSH}/\text{NH}_3 \rightarrow \text{Ph}_3\text{Sb}$

Hazard & Toxicity: LD₅₀ (rat, orl) 195 mg/kg

Aldrich: 13509-7

Rare Chemicals Library: S44531-2

>>Derivative: SbCl_3 complex (1:1)

Molecular Formula: $\text{C}_{18}\text{H}_{15}\text{Cl}_5\text{Sb}_2$

Molecular Weight: 652.08

Accurate Mass: 647.769277

Percentage Composition: C 33.16%; H 2.32%; Cl 27.18%; Sb 37.34%

Physical Description: Cryst. (CCl_4)

Melting Point: Mp 126°

>>Derivative: SbBr_3 complex (1:1)

Molecular Formula: $\text{C}_{18}\text{H}_{15}\text{Br}_3\text{Cl}_2\text{Sb}_2$

Molecular Weight: 785.434

Accurate Mass: 779.677729

Percentage Composition: C 27.53%; H 1.92%; Br 30.52%; Cl 9.03%; Sb 31.00%

Physical Description: Cryst.

Melting Point: Mp 112°

Solubility: Insol. CHCl_3

References:

- Aldrich Library of Infrared Spectra*, 3rd edn., 1981, 1559D, (ir)
Aldrich Library of NMR Spectra, 2nd edn., 1983, **2**, 1020A, (nmr)
Rao, C.N.R. *et al.*, *Can. J. Chem.*, 1961, **39**, 171, (uv)
Jensen, A.K. *et al.*, *Acta Chem. Scand.*, 1963, **17**, 1875, (ir)
Polynova, T.N. *et al.*, *Zh. Strukt. Khim.*, 1966, **7**, 742; *J. Struct. Chem. (Engl. Transl.)*, 1966, **7**, 691, (struct)
Banister, A.J. *et al.*, *J.C.S.(A)*, 1968, 1137, (synth)
Long, G.G. *et al.*, *J.A.C.S.*, 1970, **92**, 4230, (Mössbauer)
Preiss, H., *Z. Anorg. Allg. Chem.*, 1972, **389**, 280, (ms)
Gukasyan, S.E. *et al.*, *Zh. Strukt. Khim.*, 1973, **14**, 650; *J. Struct. Chem. (Engl. Transl.)*, 1973, **14**, 603, (Mössbauer)
Ouchi, A. *et al.*, *J. Inorg. Nucl. Chem.*, 1975, **37**, 2347, (cmr, pmr)
Nevett, B.A. *et al.*, *Spectrochim. Acta A*, 1977, **33**, 755, (ir, Raman)
Carraher, C.E. *et al.*, *Angew. Makromol. Chem.*, 1979, **83**, 37
Hoste, S. *et al.*, *J. Electron Spectrosc. Relat. Phenom.*, 1979, **17**, 191, (pe)
Raynier, B. *et al.*, *Nouv. J. Chim.*, 1979, **3**, 393, (synth, pmr)
Havranek, J. *et al.*, *CA*, 1981, **95**, 212464, (cmr)
Hall, M. *et al.*, *J.C.S. Dalton*, 1983, 1095, (complexes, cryst struct, ir)
Yanaga, M. *et al.*, *Bull. Chem. Soc. Jpn.*, 1986, **59**, 3085, (cmr, Mössbauer)
Nomura, R. *et al.*, *Chem. Ber.*, 1989, **122**, 2407, (use, cycloaddn of aziridines and CS_2)
Bone, S.B. *et al.*, *J.C.S. Dalton*, 1992, 2085, (ms)
Begley, M.J. *et al.*, *Acta Cryst. C*, 1993, **49**, 1044, (cryst struct)
Lewis, R.J., *Sax's Dangerous Properties of Industrial Materials*, 8th edn., Van Nostrand Reinhold, 1992, DGO800