



CAS Registry Number: 525-21-3

Molecular Formula: C₁₁H₁₀O₅

Molecular Weight: 222.197

Accurate Mass: 222.052825

Percentage Composition: C 59.46%; H 4.54%; O 36.00%

Biological Source: Constit. of the bark of ash (*Fraxinus excelsior*) and from *Artemisia scotina*

Physical Description: Cryst. (H₂O)

Melting Point: Mp 196-197°

>> **Derivative:** 7-Me ether, 8-O-β-D-glucopyranoside

CAS Registry Number: 58970-71-1

Molecular Formula: C₁₇H₂₀O₁₀

Molecular Weight: 384.339

Accurate Mass: 384.10565

Percentage Composition: C 53.13%; H 5.24%; O 41.63%

Biological Source: Constit. of the bark of *Fraxinus excelsior*

Physical Description: Cryst. (EtOH)

Melting Point: Mp 193-195°

Optical Rotation: [α]_D¹⁹ -49 (c, 0.5 in H₂O)

>> **Derivative:** 7-O-(2-Hydroxy-3-methylbutanoyl)

Synonym(s): Haptusinol

CAS Registry Number: 74133-24-7

Molecular Formula: C₁₅H₁₆O₇

Molecular Weight: 308.287

Accurate Mass: 308.089605

Percentage Composition: C 58.44%; H 5.23%; O 36.33%

Biological Source: Constit. of *Haplophyllum obtusifolium*

Physical Description: Cryst.

Melting Point: Mp 119-120°

Optical Rotation: [α]_D 0

>> **Derivative:** 7-O-(4-Hydroxy-3-methyl-2-butenyl) (Z-)

Synonym(s): Obtusicin

CAS Registry Number: 77369-04-1

Molecular Formula: C₁₅H₁₆O₆

Molecular Weight: 292.288

Accurate Mass: 292.09469

Percentage Composition: C 61.64%; H 5.52%; O 32.84%

Biological Source: Constit. of *Haplophyllum obtusifolium*

Physical Description: Cryst.

Melting Point: Mp 89-91°

References:

- Aldrich Library of FT-IR Spectra*, 1st edn., 1985, **2**, 326B, (ir)
Aldrich Library of 13C and 1H FT NMR Spectra, 1992, **2**, 1317C, (nmr)
Wessely, F. *et al.*, *Ber.*, 1929, **62**, 120; 1928, **61**, 1279, (isol, struct)
Späth, E. *et al.*, *Ber.*, 1938, **71**, 1831, (synth)
Plouvier, V., *C. R. Hebd. Seances Acad. Sci. Ser. D*, 1969, **268**, 1982, (Isofraxoside)
de Almeida, M.E. *et al.*, *Phytochemistry*, 1974, **13**, 1225, (isol)
Jensen, S.R. *et al.*, *Phytochemistry*, 1976, **15**, 221; 903, (isol)
Chien, M.M. *et al.*, *J. Pharm. Sci.*, 1979, **68**, 247, (isol, deriv)
Abyshev, A.Z. *et al.*, *Khim. Prir. Soedin.*, 1979, **15**, 845; *Chem. Nat. Compd. (Engl. Transl.)*, 1979, **15**, 748, (Haptusinol)
Batirov, E.K. *et al.*, *Khim. Prir. Soedin.*, 1980, **16**, 785; *Chem. Nat. Compd. (Engl. Transl.)*, 1980, **16**, 558, (Obtusicin)
Batirov, E.K. *et al.*, *Khim. Prir. Soedin.*, 1982, **18**, 691; *Chem. Nat. Compd. (Engl. Transl.)*, 1982, **18**, 654, (glucoside)
Guo, X. *et al.*, *Yaoxue Xuebao*, 1983, **18**, 434, (Stylosin)
Udovin, A.D. *et al.*, *Khim. Prir. Soedin.*, 1987, **23**, 796; *Chem. Nat. Compd. (Engl. Transl.)*, 660, (cmr)
Kimura, Y. *et al.*, *Phytochemistry*, 1995, **40**, 629, (Isofunicone)
Joshi, R.K. *et al.*, *Fitoterapia*, 1998, **69**, 275-276, (Fraxin, pmr, cmr)